



**ITEM # 4 - New standard equipped 2007 Model 1 Ton Chassis-Cabs with DRW**

**ACCEPTABLE MAKES AND MODELS:**

Standard Ford F-350 with 141" Wheelbase Cab Axle 60"

Standard Chevrolet/GMC C36003 + ZW9 with 137" Wheelbase Cab Axle 60.4"

Standard Dodge Ram 3500 143.8 Wheelbase Cab Axle 60"

**All units bid must contain the following options:**

1. Standard, minimum V8 diesel engine
2. 4 speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Spare tire and wheel
6. Rubber floor mats
7. Minimum GVWR 11,000 lb
8. Brakes, 4-wheel anti-lock braking system (ABS)
9. Speed control and tilt wheel

**OPTIONAL EQUIPMENT Item # 4**

- Option 4A. Mounted 9' platform body meeting Specification E1320.
- Option 4B. Permanently installed bulkhead to fit truck application (minimum requirement to top of cab).
- Option 4C. Mounted 9' platform dump body meeting Specification E1327.
- Option 4D. Mounted 9' dump body meeting Specification E1335.
- Option 4E. Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.
- Option 4F. Quarter cab protector made of 11ga. Steel. To include an integral design visibility window.
- Option 4G. Mounted standard utility tool body. Acceptable makes and models are: Knapeheide 6108D54J, Reading CLASSIC II 108A D.W., Omaha 108D54V, Stahl CHALLENGER II 108VVD- 54. Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.
- Option 4H. Six - 2" deep full width 250 lb. capacity, free-sliding tool drawers mounted approximately 1 1/2" from top of compartment with approximately 2 1/2" between trays in lieu of two shelves and dividers in one of the full height vertical com.
- Option 4I. Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 1/4 " from bottom of compartment with approximately 1 1/2" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments.
- Option 4J. One - full length (or from crane mounting point) 4" deep top-opening compartment. The release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool side compartment shall be 27" from floor to top of side body plus excess for flip top compartment.



#### OPTIONAL EQUIPMENT ITEM # 4 – Continued

- Option 4K. One - double bottle gas drop well and retainers in lieu of three shelves and dividers in one of the full height vertical compartments, maintaining an interior height of 48".
- Option 4L. Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area.
- Option 4M. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover.
- Option 4N. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves).
- Option 4O. Four-wheel drive (state model change).
- Option 4P. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission.
- Option 4Q. Allison automatic transmission.
- Option 4R. Heavy-duty, Type V with a Type III adapter trailer hitch. Special equipment which includes weight distributing hitch platform and wiring harness for a 7 pin commercial truck connector.
- Option 4S. Exterior color to be Federal Standard #595B "Highway Yellow" #13432.
- Option 4T. Alternate diesel engine (state size and horsepower).
- Option 4U. Standard gasoline engine in lieu of diesel engine
- Option 4V. Alternate gasoline engine in lieu of diesel engine
- Option 4W. Single rear wheels (SRW) in lieu of dual rear wheels (DRW).
- Option 4X. Snow plow package.
- Option 4Y. Automatic transmission power take-off provision.
- Option 4Z. 2 Factory cab steps. (one on Drivers Side, one on Passenger side.)
  
- Option 4AA. Alternative Fuel in lieu of Diesel. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.
- Option 4BB. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.
- Option 4CC. Provide hydraulics and controls for dump hoist only



# Missouri Department of Transportation Tabulation of Request 3-060810 2007 Light Duty Automotive

This is a Multiple Award For 3/4 Ton and above Trucks

Gem City Ford/Knap MSRP (10%)	Lou Fusz Ford MSRP (8%)	Putnam Chevy/Knap MSRP (25%)	Don Brown Chevy/Knap MSRP	Automotive Rentals Chevy MSRP (Varies)	Carter Chevrolet Chevy/Omaha MSRP	Don Brown Auto Dodge MSRP (7%)
-------------------------------------	-------------------------------	------------------------------------	---------------------------------	--	---	--------------------------------------

## Item 4 - 1 Ton Chassis - Cab With DRW /SWB

ARO	60 days	90-150 days	150-180 days	NB	NB	120 days	NB
Base Unit	08-\$24,765.00	08-\$24,298.00	07-\$25,251.00			07-\$26,052.00	
Option 4A	\$2,096.00	\$2,096.00	\$2,096.00			\$2,595.00	
Option 4B	\$603.00	\$604.00	\$574.00			\$295.00	
Option 4C	\$3,789.00	\$3,789.00	\$3,789.00			\$4,145.00	
Option 4D	\$4,698.00	\$4,698.00	\$4,627.00			\$3,400.00	
Option 4E	\$4,267.00	\$4,267.00	\$3,998.00			\$3,135.00	
Option 4F	\$370.00	\$370.00	\$370.00			\$277.00	
Option 4G	\$4,135.00	\$4,135.00	\$4,197.00			\$3,660.00	
Option 4H	\$1,389.00	\$1,389.00	\$1,389.00			\$1,000.00	
Option 4I	\$502.00	\$502.00	\$502.00			\$450.00	
Option 4J	\$768.00	\$768.00	\$768.00			\$600.00	
Option 4K	\$384.00	\$384.00	\$384.00			\$345.00	
Option 4L	\$2,521.00	\$2,521.00	\$2,521.00			\$2,000.00	
Option 4M	\$1,262.00	\$1,262.00	\$1,262.00			\$945.00	
Option 4N	\$898.00	\$898.00	\$898.00			\$800.00	
Option 4O	\$2,675.00	\$2,626.00	\$2,907.00			\$2,600.00	
Option 4P	-\$1,235.00	\$1,237.00	NA			NA	
Option 4Q	NA	NA	INC			INC	
Option 4R	\$341.00	\$341.00	\$341.00			\$400.00	
Option 4S	0/(\$Svc Body - \$125.00)	\$544.00	\$347.00			\$225.00	
Option 4T	NB	NA	NA			NA	
Option 4U	-\$5,950.00	-\$5,660.00	-\$5,009.00			-\$6,300.00	
Option 4V	-\$5,850.00	-\$5,940.00	NA			NA	
Option 4W	-\$800.00	-\$796.00	Only as 4WD \$2,440.00			\$0.00	
Option 4X	\$71.00	\$85.00	NA			Requires 4D and 4U \$250	
Option 4Y	\$210.00	\$208.00	INC			Requires 4Q \$0.00	
Option 4Z	\$285.00	\$266.00	\$305.00			\$50.00	
Option 4AA	NB	NA	NA			NA	
Option 4BB	\$2,120.00	\$2,120.00	Plus opt. 4E \$2,120.00			\$5,000.00	
Option 4CC	\$650.00	\$650.00	\$650.00			\$700.00	

INC = Standard or No Charge  
 N/A = Not Available